

CYBERSPACE WORLDS FOR INFORMATION RETRIEVAL

Alan MACLENNAN, a.maclennan@rgu.ac.uk
Robert Gordon University (Aberdeen, Scotland)

Abstract

This paper presents ongoing research into user requirements for 3-dimensional «virtual worlds» to be used as a means of information retrieval. There is a brief review of the literature in the fields in which design of 3-dimensional virtual spaces has been carried out, and the conclusion is reached that this design has usually been done without regard to user preferences. This study has used grounded theory to establish user preferences, initially amongst a group of about fifty post-graduate information management students. Initial results of open coding of these interviews are described, and the next steps in the study are laid out. The Virtual Reality Modelling Language (VRML) will be used as a world design tool.

Keywords

virtual environments, 3-dimensional spaces, cyberspace, interfaces design, information retrieval, information visualization, usability, Virtual Reality Modelling Language

1 INTRODUCTION

The research question addressed in this piece of ongoing research is, what are user requirements for a 3-dimensional «virtual world» modelled on a computer, to be used as a tool for information retrieval? The purpose of the paper is to report on the progress of the research to date, and to describe some preliminary findings.

The objectives of the research were:

- to conduct user interviews, based on a «grounded theory» approach, which will elicit user perceptions of useful designs for 3-dimensional «virtual realities» for information retrieval;
- to draw from these interviews conclusions as to common elements and recurrent designs;
- to construct «worlds» which will be used to test the usability of different designs;
- to draw conclusions as to the best procedures for designing such worlds;
- to examine communities where users can design worlds, and draw relevant conclusions.

2 BACKGROUND

The initial intention was to construct «worlds» using VRML (Virtual Reality Modeling Language), and to get users to test these worlds in information retrieval tasks. VRML permits the design of a huge variety of 3-dimensional spaces. However, it became clear that the choice of what worlds to use would be fairly arbitrary, in that no very good reason could be found for favouring a small test set over others.

Examination of the literature appeared to indicate that this problem had not previously been considered, the process adopted having been to create the «worlds», then test users' performance in negotiating them.

2.1 Literature

There has been a wide range of attempts to design information space, particularly in the field of information visualization, many of which are summarised by Gershon and Eick (GERSHON 1995) and by Card and Mackinlay (CARD 1997). Card and Mackinlay propose a categorisation of visualisation techniques in the literature, and provide a tabular encoding to describe significant features of each. The major types they identify are Scientific Visualization, GIS, Multi-dimensional plots, Multi-dimensional Tables, Information Landscapes and Spaces, Node and Link, Trees, and Special Data Transforms.

They provide useful definitions of the terms *information landscape* and *information space*. Where Q denotes data having quantitative values (values on which arithmetic can be performed), Q_{xy} denotes intrinsically spatial variables, and Q_{lat} and Q_{lon} spatial variables that are actually geographical coordinates,

Landscapes lay information out on a surface, typically the XY plane. Landscapes may be of several sorts: real geographical coordinates, real spatial variables, or completely abstract mappings

$$\begin{aligned} \{Q_{lon} \text{ or } Q_x \text{ or } Q\} &\rightarrow X \\ \{Q_{lat} \text{ or } Q_y \text{ or } Q\} &\rightarrow Y \end{aligned}$$

If the mapping extends to

$$Q \rightarrow Z,$$

We call it an *information space*.

Here is the interface, or the meeting point, or the common ground – the surface where the information visualization literature borders on the area of current research.

Chen's (CHEN 1999) study, *Information visualization and virtual environments*, leads us away from the more graph-like 3D representations favoured in the information visualization community, towards a kind of shared «world», but the world's structure is still pre-imposed.

There are other fields bordering on this area – for example, Dillon (DILLON 2000) looks at user difficulties in navigating 3D information spaces, and concludes that «interfaces for shaping information should be built on an increasing analysis of users’ semantic processing». This might be called the Human-Computer Interaction approach. There is also literature from the field of cognitive psychology, concerned with wayfinding (DARKEN 1996), and from cognitive ethnology (HANSEN 2002). This latter approach is concerned with social interactions in the «inhabited» worlds in the 3D cyberspace system ActiveWorlds.

2.2 Literature review conclusions

A common factor in all the literature studied was that users did not appear to have been consulted in the design process – much, if not most, of the work carried out in the design of «virtual environments» is undertaken with little input from the end-users of the systems. Whilst designs may be usability tested on completion, there is little evidence in the literature for a user-based approach to initial design. Studies of existing worlds, other than those by their designers, appear to concentrate on the use of these worlds as «social spaces». There is, however, evidence in the literature to suggest that techniques of information visualization can be used to exploit cognitive abilities normally associated with a spatial context, in the perception, apprehension and use of information.

Though the research had proposed user testing of different 3D models, and a small pilot was run on this basis, it became clear that this type of approach was, in fact, typical of the literature, and it was decided that it would be more useful to explore the question, «If users could design such a world themselves, what characteristics would it have?»

3 METHODOLOGY

It was decided that a Grounded Theory approach (STRAUSS 1990) would be more valuable, in that users’ own images of what their «information space» might look like could be elicited, and these findings used as a basis for further examination of the «information space» concept, grounded in user-originated data.

The first group of interviewees was made up of postgraduate students at Aberdeen Business School, Robert Gordon University. Most were undertaking courses in the area of Information Management, but had come from a very wide spectrum of undergraduate subjects, life experience, and national and cultural origin. The first round of interviews was conducted before there was the possibility of them acquiring from the course content any notions of the «proper» way or ways of organizing information, as is indeed clear from the interview transcripts.

Interviews were preceded by a short talk to groups of interviewees, explaining the concept of 3-dimensional «virtual realities», and showing some pictures of models from the literature, ranging from a perspective

wall to an information landscape representing term occurrence in a body of medical literature. This approach was adopted because an earlier pilot study had shown that without time to consider the idea, many individuals, whilst quite willing to be interviewed, did not have a model in mind, or were unable to understand the basic idea.

3.1 Interviews

Interviews were recorded, and were with individuals, except in one case where two interviewees arrived together. It was decided that there was too much collaboration between the interviewees in this case, so the scenario was not repeated. Interviews were recorded and transcribed, and the resulting transcripts were checked for accuracy with individual interviewees who were still contactable at that time. One interviewee complained about transcription errors, and provided corrected information, but the others were all satisfied with the transcriptions. Most interviews were of short (five to ten minutes) duration, although some lasted considerably longer, when an interviewee had a well-developed idea and was prepared to discuss it at length. Fifty-one individuals were interviewed in the first round of interviews, and it is intended that the same group will proceed to the next stage, testing the models. Some individuals had more than one model, and all were recoded.

3.2 Model testing

It is intended that representative models will now be constructed, using Virtual Reality Modelling Language (VRML), and the interviewees, all of whom have agreed to participate further, will be invited to test them for usability. Because a great variety of models emerged (see Section 4, Findings), it is intended that a smaller number of models will be tested, each of which is an example of one of the emerging themes.

4 FINDINGS

The transcripts obtained were analysed first by the type of image, or «world» which was described. The following models appeared. Some interviewees presented more than one image (indicated by slashes, /), and one interview was conducted with two interviewees (2 and 3), a method which it was decided was less satisfactory than single-person interviews.

A first rough grouping of the concepts produced this:

This was the equivalent of 30 different concepts, from 53 interviews. They appeared to be distinct concepts, at the first attempt to organise them, but when examined more carefully, especially bearing in mind the type of «facet analysis» that can be carried out, it becomes apparent that they should not be grouped without further consideration of possible loss of «richness».

TABLE 1: Interviewees and concepts

1. brain	28. town
2&3. connected blocks	29. rivers/map
4. desktops	30. space/underwater/tree/
5. molecules, mental maps	31. card catalogue
6. library	32. multi-dimensional wheel
7. floating documents	33. car park
8. shops	34. library
9. My house/office	35. lollipops
10. car park/forest	36. touch screen/Google/OPAC
11. library	37: nothing
12. room made of blocks of text/ city of words	38. nothing
13. timeline	39. PARC wall
14. like the office	40. car/road/Monopoly
15 office/building	41. brain
16. forest	42. trees
17. coloured transparencies	43. jungle/ deep sea
18. clouds	44. zoo/safari park
19. aquarium/music	45. universe/library
20. library	46. theme park/fairground
21 hierarchy/tree	47. game
22. solar system/wormholes	48. house
23. hierarchical mansion	49. office building
24. library	50. town
25. card catalogue	51. street market
26. town	52. memory palace
27. bubbles	53. planets

TABLE 2: First grouping

Concept	No.	Concept	No.
Library/catalogue	7	memory palace	1
Forest/tree	5	molecules	1
Town (inc street market)	4	music	1
planets/space	4	OPAC	1
house/mansion	3	packets	1
office	3	PARC wall	1
brain	2	room	1
car park	2	rivers	1
aquarium	1	safari park	1
bubbles	1	theme park	1
clouds	1	timeline	1
deep sea	1	touch screen	1
desktops	1	transparencies	1
game	1	whell	1
lollipops	1	Zoo	1

4.1 Analysis

For example, though all libraries are described as such, there might be a distinction between «a house» described by 47, which has a very fluid structure, and «my house» described by 9, which has a definite arrangement, preferred by a very organised person. Checking keywords is not enough. Similarly, there are distinctions between «my office» (9, again), «like the office» (14, a representation for telecommuting as an avatar), and «office block» (a very rigidly structured environment, which nevertheless bears similarities to 48's very fluid house). The «hierarchical mansion» bears probably more similarity to a library or to the «office block» than to «my house», which is a representation of an actual house.

It seems, therefore, that the simple structural descriptions picked out here are already failing rather obviously to do justice to the richness of the images described. It is also worth noting that these first interviews were short in duration, and did not examine most individuals' images in any great depth.

However, based simply on the very abbreviated descriptions above, the most popular image is «library», followed by «forest/tree» and «town». There are, in fact, two mentions of «forest», two of «tree», and one of «trees», which leads back to the transcriptions, where it would appear that 10's forest is a means of finding information about trees, 15's is a more typical «IR» forest, with different sections of the forest, «taller trees, different kinds of trees, different kinds of plants, for obviously representing different things». There is also the possibility of adding to the forest by planting things, so this is a much more interactive tool. When we examine the jungle image from 43, we find that 43 has come up with several ideas which are superficially attractive to the interviewee, but have not been developed to any great degree.

This is just an example of the dissimilar denotations of similar terms, so it must serve as a warning in further analysis. There is much more to the images than a simple label, but it appears that the «person-centred» approach gives a route to pinning down these differences, to a much greater degree than questionnaires, for example. It is also a great advance on the earlier, «build it, and they will come» approach.

4.2 Groupings

A few «characteristics of division» arose quite quickly from the simple keywords approach:

- Real vs. imaginary
- Known vs. unknown
- Concrete vs. abstract
- Personal information vs. all information
- Colour vs. no colour mentioned
- Sound vs. no sound mentioned
- Motion vs. no motion mentioned

To add to, or refine, some of these:

Are we dealing with a pre-existing, perhaps «real» structure? That mapping is characteristic of the «memory palace» (YATES 1984), but in simpler terms could be «my house», or «the office», «shops» or «street map». In a memory palace, images of the things to be remembered, or representing passages of text to be memorised, were placed around a recalled image of a building, often, at least initially, based on a real building. Perhaps if a real office or home were used, it would be easier to locate the imaged information sources where the actual items are in real life, for example in a desk or a filing cabinet.

Conversely, there is a group of ideas which seem quite abstract, although they may be based on «real» things. Bubbles, clouds, neurones and lollipops all made appearances.

Is some kind of classification scheme used, however informal? It became apparent in the course of the interviews that, although the interviewees were usually asked how information might be organised in their image, very few gave considered answers, so that, in fact, the concept of organising information might be quite unfamiliar to them. A library rather implies the use of some form of organisation, or it is merely a store-room. The galaxy / solar / system / planets idea could be seen as implying a different subject area for each grouping, at whatever scale applies. The street market has stalls for different subjects, a town plan or map also implies organisation, as do shops. It is much less clear what scheme applies to a car park, however, and the interviewees (10 and 33) were not forthcoming on the question. 10 was unused to the idea, and came up with a very representational model of the real world, in which clicking on an image of a car in the car park would retrieve information on the car. Since car parks are not organised by any relevant principle, this does not hold much hope as an IR tool. 33's model is ranked by size – a larger vehicle represents more information on a topic. Organising information by this criterion seems of very limited use. A few interviewees wanted to organise by frequency of use – not a formal scheme, but one which is manifest in the Windows XP start menu, and the management tools for the desktop and Outlook, for example.

4.3 Engagement

Another factor, which only comes out incidentally in the interviews, is engagement. Some interviewees were far more expressive than others, and it appeared, subjectively, that they were either more interested in the idea, or perhaps had thought of it before. Again, this was a flaw in the interview procedure, in that this area was not explored, until close to the end of the series of first-stage interviews, when a question was asked about whether the interviewee had ever visualised information in this way, perhaps for a previous degree. It appeared in most cases, however, that the image had been «constructed» especially for the interview.

This could be called something like «depth of visualisation», or perhaps better, «development». Sometimes it appears to be a result of the in-

interviewee having given the matter a good deal of prior thought, sometimes it might be an idea that is developed while talking about it, sometimes the interviewer might spark further development with a timely suggestion, or a request for clarification.

TABLE 3: Concept groupings

Concept	Interviewees	No of interviews
aquarium	19	1
blocks, connected	2, 3	2
brain	1, 41	2
bubbles	27	1
car on road/Monopoly	40	1
car park	10, 33	2
card catalogue	25, 31	2
city of words	12	1
clouds	18	1
desktops	4	1
documents, floating	7	1
forest	10, 16	2
game	47	1
Google	36	1
hierarchical mansion	23	1
hierarchy	21	1
house	48	1
house, my	9	1
jungle	41	1
library	6, 11, 20, 24, 34, 45	6
lollipops	35	1
map	29	1
market, street	51	1
memory palace	52	1
mental map	5	1
molecules	5	1
music	19	1
nothing	37, 38	2
office building	49	1
office, my	9	1
office, like the	14	1
OPAC	36	1
PARC wall	39	1
planets	53	1
safari park	44	1
sea, deep	43	1
shops	8	1
solar system	22	1
text, blocks of	12	1
theme park	46	1

TABLE 3: Concept groupings (cont)

Concept	Interviewees	No of interviews
timeline	13	1
touch screen	36	1
town	26, 28, 50	3
transparencies, coloured	17	1
tree	21, 30	2
trees	42	1
underwater	30	1
wheel, multi-dimensional	32	1
wormholes, space	22	1
zoo	44	1

5 NEXT STEPS

To improve on the rough, preliminary «hand-coding» shown above, the interview transcripts are currently being analysed using Nvivo software, which is already allowing interesting correlations to be made amongst different responses.

The next stage in the research will be to develop VRML models for testing by the interviewees. We cannot easily replicate a world of the «my office» type, because we do not have access to the users' image of their own office, home, or other space. It would in any case have to be that such a world would be constructed by, or with close co-operation from, the individual, and would have little utility for anyone other than that individual.

5.1 Final conclusions

The intention is therefore to construct a «concrete» or «realistic» world displaying a principle of organisation. The library is a popular image, and a good candidate for modelling. The forest is realistic, and can display order, but is not a conventional «information space», and «forest», «jungle», «tree» and «trees» combined give us the second most popular model. Towns, buildings, shops and a market are another example of use of a realistic world as a less conventional information retrieval tool. Finally, the planets/solar system model occurs twice, as do other «space» themes, so this too seems a good candidate for modelling.

The more unusual, imaginative or idiosyncratic models occur once each, and can perhaps be seen as characteristic of individual interviewees, rather than models which might be of wider popularity. It will, however, be possible to pursue these questions further in the next round of interviews, and it may be that further models, perhaps of the more «abstract» type, will be constructed.

References

- (CARD 1997) CARD, S.; MACKINLAY, J. «The structure of the information visualization design space». In: IEEE SYMPOSIUM ON INFORMATION VISUALIZATION (1997: Phoenix, Arizona). *Proceedings IEEE Symposium on information visualization*, p. 92-99.
- (CHEN 1999) CHEN, C. *Information visualization and virtual environments*. London: Springer, 1999.
- (DARKEN 1996) DARKEN, R. P.; SIBERT, J. «Wayfinding strategies and behaviours in large virtual worlds». In: Conference on Human Factors in Computing Systems, CHI 96 (1996: Vancouver, Canada). Available online: <http://sigchi.org/chi96/proceedings/papers/Darken/Rpd_txt.htm>.
- (DILLON 2000) DILLON, A. «Spatial-semantics: how users derive shape from information space». *Journal of the American Society for Information Science*, v. 51, n. 6 (2000), p. 521-528.
- (GERSHON 1995) GERSHON, N.; EICK, S. «Visualization's new tack: making sense of information». *IEEE Spectrum*, (November 1995).
- (HANSEN 2002) HANSEN, K. «The design of public virtual spaces in 3D virtual worlds on the internet». In: *Virtual space: spatiality in virtual inhabited 3D worlds*. Ed. by L. Qvortrup. (London: Springer, 2002).
- (STRAUSS 1990) STRAUSS, A.; CORBIN, J. *Basics of qualitative research: grounded theory procedures and techniques*. Newbury Park, CA: Sage, 1990.
- (YATES 1984) YATES, F. A. *The art of memory*. London: Routledge and Kegan Paul, 1984.